

**HIHAUS**

HIHAUS COMPANY LTD

Website: <https://www.hihausbm.com/>

Office address: 19th Floor, Central Plaza, Jianshe Road No.18  
Yuexiu Guangzhou Guangdong China  
Factory address: Xingye North Road, Hongsha Industrial Zone  
Shishan Town, Nanhai District Foshan  
TEL: +8618922126334

**HIHAUS**

HIGH-END WINDOWS AND  
DOORS SOLUTIONS  
FOR YOUR DREAM HOUSE!



 **800+** Skilled workers

 **19+years** Manufacture experience

 **123,000m<sup>2</sup>** Factory production area

***FOLDING DOOR***

GUANGZHOU HIHAUS BUILDING MATERIALS CO., LTD



## 80 SERIES FOLDING DOOR


### 1.7mm Non-Thermal Break

#### Glass Panel Maximum Size

3200\*900mm  
118 1/8 \* 35 3/8 inch

#### Recommend Size

Height within 3200mm (126 inch)  
Door leaf width within 1000mm (39 3/8 inch)




### 2.0mm Thermal Break

#### Glass Panel Maximum Size

3000\*900mm  
118 1/8 \* 35 3/8 inch

#### Recommend Size

Height within 3200mm (126 inch)  
Door leaf width within 1000mm (39 3/8 inch)



### Optional Color



Black



White



Coffee




Steel Gray

### Product Data

Wall Thickness	80mm (3 1/8 inch)
Glass notch	31mm
Standard Glass	5mm+18A+5mm
Hardware	China Top Quality Hardware
Mosquito Net	PP Net (optional)
Open Way	Folding

### Hardware Configuration





## 105 SERIES 3.0 FOLDING DOOR

Non-thermal break:	Thermal break:
Glass Panel Maximum Size 4727*954mm 186 <sup>7</sup> / <sub>8</sub> * 37 <sup>7</sup> / <sub>8</sub> inch	Glass Panel Maximum Size 3727*954mm 146 <sup>3</sup> / <sub>4</sub> * 37 <sup>7</sup> / <sub>8</sub> inch
Recommend Size Height within 5000mm(196 <sup>5</sup> / <sub>8</sub> inch) door leaf width within 1100mm (43 <sup>7</sup> / <sub>8</sub> inch)	Recommend Size Height within 4000mm(157 <sup>1</sup> / <sub>2</sub> inch) door leaf width within 1100mm(43 <sup>7</sup> / <sub>8</sub> inch)



### Product Data

Wall Thickness	120mm(4 <sup>5</sup> / <sub>8</sub> inch)
Glass notch	42mm
Standard Glass	6+25A+6mm
Hardware	China brand
Mosquito Net	Optional
Open Way	Folding

### Optional Color




### Hardware Configuration



Door left

Heavy Duty Strong Rollers



Epdm Sealing Strip



Deadbolt

Handle Lock




## 77 SERIES THERMAL BREAK BI FOLDING DOOR


### Product Data

Glass Panel	58 x 68mm
Recommend Size	900 x 3000mm (35 3/4 x 118 1/2 inch)
Wall Thickness	77mm (3inch)
Glass notch	33mm
Standard Glass	5mm + 20A + 5mm
Hardware	Germany Kerssenberg
Mosquito Net	PP Net (optional)



### Hardware Configuration



 Optional color please see last page

# HIHAUS HOT SALE PRODUCTS

## OPENING MODE

